

# BLADE

LIGHTING | Indoor  
BAXTER P.



Baxter's Blade lamp collection achieves the perfect union of minimal aesthetics and versatility through a design with a refined, minimalist look. Distinguished by linear shapes that make it suitable for any context, Blade pendant lighting enhances any space by infusing it with intimate, diffuse LED light. Each lamp is a unique work of art, distinguished by the strong artistic impact of the hand-oxidised finish of the coating, available in nickel silver or brass versions.



**Model:** lamp with LED light source. Assembly required.

**Structure:** frame in material of choice with matt varnish.

Base in material of choice.

**Covering / Coating:** the oxidations, unique and organic, are completely handmade.

**Specify the chosen dimmeration in the order.**

**Compared to the sample present in the materials documentation, the antiquing of the brass is different for this model; please refer to the photos.**

## AVAILABLE FINISHES



Antiqued Alpaca




Antiqued Brass

---

Wall light.

L	P	H	
3.5	10	160	cm
W	D	H	
1.25	4	62.5	inch



3000K LED strip – 9.6 W/MT – 24V. Class 1, IP20. 1600 lumens.

Dimming: 1-10 with surcharge

DALI with surcharge.

PHASE CUT with surcharge.


**Specify the chosen dimmeration in the order.**

**Compared to the sample present in the materials documentation, the antiquing of the brass is different for this model; please refer to the photos.**

---

Hanging lamp.

L	P	H	
160	3.5	10	cm
W	D	H	
62.5	1.25	4	inch



3000K LED strip – 9.6 W/MT – 24V. Class 1, IP20. 1900 lumens.

Dimming: 1-10 with surcharge

DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

**Compared to the sample present in the materials documentation, the antiquing of the brass is different for this model; please refer to the photos.**

---

Wall light.

L	P	H	
3.5	10	30	cm
W	D	H	
1.25	4	11.75	inch



3000K LED strip – 9.6W/MT – 24V. Class 1, IP 20. 210 lumens.

Dimming: 1-10 with surcharge and remote power supply.

DALI with surcharge and remote power supply.

PHASE CUT with surcharge and remote power supply.

**Specify the chosen dimmeration in the order.**


**Compared to the sample present in the materials documentation, the antiquing of the brass is different for this model; please refer to the photos.**

---

---

Wall light.

L	P	H	
3.5	10	60	cm
W	D	H	
1.25	4	23.5	inch



3000K LED strip – 9.6W/MT – 24V. Class 1, IP 20. 320 lumens.

Dimming: 1-10 with surcharge

DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

**Compared to the sample present in the materials documentation, the antiquing of the brass is different for this model; please refer to the photos.**