

m o o o i

Perch Light Floor

UMUT YAMAC



Look up, into the soft light, follow the fluttering sound and sparks of movement. A bird is gracefully balanced on a tall metal perch, beautiful and proud, a swinging glimmer of warm light... yet you are inside, after daylight has faded, under the spell of the Perch Light Floor Lamp!

Detailing



This sunlit bird is free to swing when softly touched. It gently glows and brings along the promise of spring.


Colours



Brass and white

Perch Light Floor

Dimensions



Product

WIDTH 28cm | 11"
HEIGHT 164cm | 64.6"
DEPTH 33cm | 13"
WEIGHT NETTO 9kg | 19.84lbs

Packaging

WIDTH 45.5cm | 17.9"
HEIGHT 29.5cm | 11.6"
CUBAGE 0.21m³ | 7.56ft³
LENGTH 159.5cm | 62.8"
WEIGHT 8.5kg | 18.74lbs

Technical CE

MATERIAL

Steel and aluminium frame with polycarbonate (PC) and synthetic paper birds.

ENERGY LABEL

B

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

90-264V

FREQUENCY

50/60

MAX POWER CONSUMPTION

5W

LAMPHOLDER

LED (Solid state)

LIFETIME

50000 hours

CABLE COLOUR

Black

PLUG TYPE

Europlug (Type-C)

CABLE LENGTH

450cm | 177.2"

SWITCH

In line on/off switch

COLOUR TEMPERATURE

3000 K (max)

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

150 lm



Technical UL

MATERIAL

Steel and aluminium frame with polycarbonate (PC) and synthetic paper birds.

ENERGY LABEL

B

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

100-240V

FREQUENCY

50/60

MAX POWER CONSUMPTION

5W

LAMPHOLDER

LED (Solid state)

LIFETIME

50000 hours

CABLE COLOUR

Black

PLUG TYPE

US plug (Type A)

CABLE LENGTH

450cm | 177.2"

SWITCH

In line on/off switch

COLOUR TEMPERATURE

3000 K (max)

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

150 lm

