

m o o o i

# Hana Armchair

SIMONE BONANNI



Create your own world in your safe space that is the Hana Armchair. Let the softness of the folds lure you in and when you step into that abundance of soft fabric, you're stepping into your own space and away from the hustle and bustle of the world. A moment of contemplation and ultimate relaxation. Mindfulness made tangible in the shape of a chair. The Hana is sculptured around the human body and its need to be pampered, embraced and accommodated for long stretches of time. The generous, cute, subtly curves allow for hours of lounging to daydream, read a book and let your imagination fly.

## Detailing



Hana's curves are complimented with carefully thought through folds, with the unique characteristics of all available fabrics in mind.

## Colours



Justo, Bazalt



Rendezvous  
Tokyo Blue velvet  
Indigo


CAT 1

---


## Hana Armchair / Armchair

### Dimensions

**100cm | 39.4"**



**92cm | 36.2"**



**74cm | 29.1"**

### Product

**WIDTH** 92cm | 36.2"

**HEIGHT** 74cm | 29.1"

**DEPTH** 92cm | 36.2"

**DIAMETER** 92cm | 36.2"

### Packaging

**WIDTH** 111cm | 43.7"

**HEIGHT** 80cm | 31.5"

**CUBAGE** 0.9m<sup>3</sup> | 31.67ft<sup>3</sup>

**LENGTH** 101cm | 39.8"

**WEIGHT** 46.5kg | 102.51lbs

---

### Technical

#### MATERIAL

Metal frame. elastic straps, cut and molded foam.

#### HEIGHT ARMREST

69cm | 27.2"

#### HEIGHT ARMREST 2

41cm | 16.1"

#### SEAT DEPTH

60cm | 23.6"

#### SEAT DEPTH 2

42cm | 16.5"

#### SEAT HEIGHT

40cm | 15.7"

#### SEAT WIDTH

67cm | 26.4"

#### SEAT WIDTH 2

57cm | 22.4"


#### SEATING CAPACITY

1


# Hana Armchair / Swivel

## Dimensions

**100cm | 39.4"**



**92cm | 36.2"**



**74cm | 29.1"**

## Product

**WIDTH** 92cm | 36.2"

**HEIGHT** 74cm | 29.1"

**DEPTH** 92cm | 36.2"

**DIAMETER** 92cm | 36.2"

**WEIGHT NETTO** 8.5kg | 18.74lbs

## Packaging

**WIDTH** 100cm | 39.4"

**HEIGHT** 70cm | 27.6"

**CUBAGE** 0.91m<sup>3</sup> | 32.14ft<sup>3</sup>

**LENGTH** 130cm | 51.2"

**WEIGHT** 50kg | 110.23lbs

## Technical

### MATERIAL

Metal frame. elastic straps, cut and molded foam.

### HEIGHT ARMREST

69cm | 27.2"

### SEAT DEPTH

60cm | 23.6"

### SEAT HEIGHT

40cm | 15.7"

### SEAT WIDTH 2

57cm | 22.4"

### HEIGHT ARMREST 2

41cm | 16.1"

### SEAT DEPTH 2

42cm | 16.5"

### SEAT WIDTH

67cm | 26.4"

### SEATING CAPACITY

1

# Hana Armchair / Wingback

## Dimensions

119cm | 46.9"



96cm | 37.8"



126cm | 49.6"

## Product

**WIDTH** 119cm | 46.9"

**HEIGHT** 126cm | 49.6"

**DEPTH** 96cm | 37.8"

## Packaging

**WIDTH** 130cm | 51.2"

**HEIGHT** 133cm | 52.4"

**CUBAGE** 1.85m<sup>3</sup> | 65.33ft<sup>3</sup>

**LENGTH** 107cm | 42.1"

**WEIGHT** 86.5kg | 190.7lbs

## Technical

### MATERIAL

Metal frame. elastic straps, cut and molded foam.

### HEIGHT ARMREST

69cm | 27.2"

### SEAT DEPTH

60cm | 23.6"

### SEAT HEIGHT

40cm | 15.7"

### SEAT WIDTH 2

57cm | 22.4"

### HEIGHT ARMREST 2

41cm | 16.1"

### SEAT DEPTH 2

42cm | 16.5"

### SEAT WIDTH

67cm | 26.4"


### SEATING CAPACITY

1

# Hana Armchair / Wingback Swivel

## Dimensions

119cm | 46.9"



96cm | 37.8"



126cm | 49.6"

## Product

**WIDTH** 119cm | 46.9"

**HEIGHT** 126cm | 49.6"

**DEPTH** 96cm | 37.8"

## Packaging

**WIDTH** 130cm | 51.2"

**HEIGHT** 133cm | 52.4"

**CUBAGE** 1.85m<sup>3</sup> | 65.33ft<sup>3</sup>

**LENGTH** 107cm | 42.1"

**WEIGHT** 86.5kg | 190.7lbs

## Technical

### MATERIAL

Metal frame. elastic straps, cut and molded foam.

### HEIGHT ARMREST

69cm | 27.2"

### SEAT DEPTH

60cm | 23.6"

### SEAT HEIGHT

40cm | 15.7"

### SEAT WIDTH 2

57cm | 22.4"

### HEIGHT ARMREST 2

41cm | 16.1"

### SEAT DEPTH 2

42cm | 16.5"

### SEAT WIDTH

67cm | 26.4"

### SEATING CAPACITY

1

## Upholstery

*ABBRACCI (available in 6 colours)*



### COMPOSITION

100% PES

### ABRASION

50000 martindale  
lightfastness 3 - 4  
pilling 5

### FIRE RESISTANCE

BS 5852 - Ignition source  
0 (Cigarette)  
BS 5852 - Ignition source  
1 (Match flame equivalent)  
EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
TB 117-2013

*ARDA (available in 12 colours)*



**ABRASION**

50000 martindale  
lightfastness 5 - 6  
pilling 4 - 5

**FIRE RESISTANCE**

BS 5852 - Ignition source  
0 (Cigarette)  
BS 5852 - Ignition source  
5 (Crib 5)  
BS 5852 - Ignition source  
1 (Match flame equivalent)  
EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
TB 117-2013  
EU Ecolabel

---

*AUTUMN (available in 14 colours)*

---

*BOUCLE (available in 5 colours)*



**COMPOSITION**

43% CO, 14% PA, 12% CV,  
3% PES, 28% PAN

**ABRASION**

40000 martindale  
lightfastness 4 - 6  
pilling 4 - 5

**FIRE RESISTANCE**

EN 1021-1 (Cigarette)  
EN 1021-2 (Match)

---

*DIVINA 3 (available in 56 colours)*



**COMPOSITION**

100% WO

**ABRASION**

45000 martindale  
lightfastness 7  
pilling 3

**FIRE RESISTANCE**

BS 5852 - Ignition source  
0 (Cigarette)  
BS 5852 - Ignition source  
5 (Crib 5)  
BS 5852 - Ignition source  
1 (Match flame equivalent)  
EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
TB 117-2013  
EU Ecolabel

*DIVINA MD (available in 27 colours)*



**COMPOSITION**  
100% WO

**ABRASION**  
45000 martindale  
lightfastness 6  
pilling 3

**FIRE RESISTANCE**  
BS 5852 - Ignition source  
0 (Cigarette)  
BS 5852 - Ignition source  
5 (Crib 5)  
BS 5852 - Ignition source  
1 (Match flame equivalent)  
EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
EU Ecolabel

---

*DIVINA MELANGE 3 (available in 49 colours)*



**COMPOSITION**  
100% WO

**ABRASION**  
45000 martindale  
lightfastness 6 - 7  
pilling 3

**FIRE RESISTANCE**  
BS 5852 - Ignition source  
0 (Cigarette)  
BS 5852 - Ignition source  
5 (Crib 5)  
BS 5852 - Ignition source  
1 (Match flame equivalent)  
EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
TB 117-2013  
EU Ecolabel

---

*Bearded Leopard (available in 3 colours)*



**COMPOSITION**  
77% CV, 15% PES, 7% CO,  
1% PA

**ABRASION**  
15000 martindale  
lightfastness 4 - 6  
pilling 4

*EA, BLUSHING SL (available in 1 colours)*



---

*Calligraphy Bird (available in 4 colours)*



**COMPOSITION**

64% CV, 21% PES, 15%  
CO

**ABRASION**

50000 martindale  
lightfastness 4 - 6  
pilling 5

---

*EA, DANDELION C (available in 1 colours)*



---

*Dodo Pavone (available in 3 colours)*



**COMPOSITION**

12% CO, 88% PES

**ABRASION**

40000 martindale  
lightfastness 5  
pilling 4 - 5

*EA, GOLDEN TIGE (available in 1 colours)*



*Memento Moooi Medley (available in 1 colours)*



**COMPOSITION**

100% PES

**ABRASION**

50000 martindale  
lightfastness 4 - 6  
pilling 5

**FIRE RESISTANCE**

EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
TB 117-2013

*Menagerie of Extinct Animals (available in 2 colours)*



**COMPOSITION**

100% PES


**ABRASION**

50000 martindale  
lightfastness 4 - 6  
pilling 5

**FIRE RESISTANCE**

EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
TB 117-2013

*EA, POGO GOAT (available in 1 colours)*



*EA, QUEEN COBRA (available in 1 colours)*



*Rendezvous Tokyo Blue (available in 1 colours)*



**COMPOSITION**

100% PES

**ABRASION**

50000 martindale  
lightfastness 4 - 6  
pilling 5

*Blushing Sloth Melange Mohair (available in 1 colours)*



**COMPOSITION**

85% WV, 15% WM

**ABRASION**

15000 martindale  
lightfastness 4 - 6  
pilling 2 - 3

*FIORD (available in 39 colours)*



**COMPOSITION**

92% WV, 8% PA

**ABRASION**

60000 martindale  
lightfastness 6  
pilling 4 - 5

**FIRE RESISTANCE**

EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
BS 5852 - Ignition source  
0 (Cigarette)  
BS 5852 - Ignition source  
1 (Match flame equivalent)

*GUEST (available in 13 colours)*

---

*HALLINGDAL 65 (available in 58 colours)*



**COMPOSITION**

30% CV, 70% WV

**ABRASION**


100000 martindale  
lightfastness 7  
pilling 3 - 4

**FIRE RESISTANCE**

BS 5852 - Ignition source  
0 (Cigarette)  
BS 5852 - Ignition source  
5 (Crib 5)  
BS 5852 - Ignition source  
1 (Match flame equivalent)  
EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
TB 117-2013  
EU Ecolabel

---

*HARALD 3 (available in 29 colours)*



**COMPOSITION**

100% CO

**ABRASION**

100000 martindale  
lightfastness 5  
pilling 4 - 5

**FIRE RESISTANCE**

EN 1021-1 (Cigarette)

---

*JUSTO (available in 11 colours)*



**COMPOSITION**

15% CO, 35% PC, 10% PA,  
40% CV

**ABRASION**

50000 martindale  
lightfastness 5  
pilling 4

**FIRE RESISTANCE**

EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
TB 117-2013

*LISCIO (available in 6 colours)*



**COMPOSITION**

35% WO, 35% CV, 21%  
CO, 9% PA

**ABRASION**


30000 martindale  
lightfastness 4 - 6  
pilling 4

**FIRE RESISTANCE**

TB 117-2013

---

*MERIT (available in 43 colours)*



**COMPOSITION**


24% PES, 76%

**ABRASION**

85000 martindale  
lightfastness 7  
pilling 4

---

*MOSAIC 2 (available in 15 colours)*



**COMPOSITION**

58% PES, 27% WV, 9% PA,  
6% EA

**ABRASION**

100000 martindale  
lightfastness 6 - 7  
pilling 4 - 5

---

*ORAY RAY (available in 15 colours)*

**COMPOSITION**

39% LI, 38% CV, 15% PE,  
8% CO

**ABRASION**

30000 martindale  
pilling 4 - 5

**FIRE RESISTANCE**

BS 5852 - Ignition source  
0 (Cigarette)  
BS 5852 - Ignition source  
1 (Match flame equivalent)  
TB 117-2013

---

*ORAY RONAN (available in 5 colours)*



**COMPOSITION**

39% LI, 38% CV, 15% PE,  
8% CO

**ABRASION**


30000 martindale  
pilling 4 - 5

**FIRE RESISTANCE**

BS 5852 - Ignition source  
0 (Cigarette)  
BS 5852 - Ignition source  
1 (Match flame equivalent)  
TB 117-2013

---

*PALETTE (available in 12 colours)*



**COMPOSITION**

42% CO, 29% WO, 29%  
TL

**ABRASION**

45000 martindale  
lightfastness 4 - 5  
pilling 3 - 3

**FIRE RESISTANCE**

BS 5852 - Ignition source  
0 (Cigarette)  
TB 117-2013  
BS 5852 - Ignition source  
5 (Crib 5)

---

*REFLECT (available in 35 colours)*



**COMPOSITION**


10% PA, 90% WV

**ABRASION**

100000 martindale  
lightfastness 5  
pilling 4

---

*SAVANNE (available in 3 colours)*




**FIRE RESISTANCE**

EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
TB 117-2013  
OEKO-TEX

---

*SHADE* (available in 5 colours)



**ABRASION**

lightfastness 3 - 4

**FIRE RESISTANCE**

EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

---

*SOLIS* (available in 9 colours)



**COMPOSITION**

60% WO, 30% PES, 2%  
PA, 3% PC

**ABRASION**

40000 martindale

lightfastness 5

pilling 3 - 4

**FIRE RESISTANCE**

EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

---

*SPECTRUM* (available in 11 colours)



**ABRASION**

lightfastness 6 - 6

**FIRE RESISTANCE**


EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

OEKO-TEX

*SPRINKLES (available in 23 colours)*



**ABRASION**

80000 martindale  
lightfastness 7  
pilling 4

**FIRE RESISTANCE**

EU Ecolabel  
BS 5852 - Ignition source  
0 (Cigarette)  
BS 5852 - Ignition source  
5 (Crib 5)  
BS 5852 - Ignition source  
1 (Match flame equivalent)  
EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
TB 117-2013

---

*STEELCUT TRIO 3 (available in 54 colours)*



**COMPOSITION**

90% WV, 10% PA

**ABRASION**

100000 martindale  
lightfastness 5  
pilling 4

**FIRE RESISTANCE**

BS 5852 - Ignition source  
0 (Cigarette)  
BS 5852 - Ignition source  
1 (Match flame equivalent)  
EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
EU Ecolabel

---

*ULTRA (available in 6 colours)*



**ABRASION**

lightfastness 6 - 7

**FIRE RESISTANCE**

EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
TB 117-2013  
ANSI/BIFMA M7.1 (Total  
Volatile Organic  
Compounds)

*VESPER (available in 9 colours)*



**COMPOSITION**

10% CO, 40% LI, 10% PA,  
10% PES, 30% CV

**ABRASION**

40000 martindale  
lightfastness 5  
pilling 4

**FIRE RESISTANCE**

EN 1021-1 (Cigarette)  
EN 1021-2 (Match)  
TB 117-2013

---