

# WAVE

LIGHTING | Indoor  
FEDERICO PERI



La collezione Wave, firmata Federico Perri, ridefinisce il concetto di illuminazione attraverso un'ispirazione inaspettata: l'eleganza strutturale dei ponti tibetani. Questa visione si traduce in elementi luminosi che sembrano fluttuare nello spazio con leggerezza aerea, mantenendo una presenza visiva di straordinaria forza espressiva. Ogni lampada tubolare a LED riempie visivamente lo spazio, sia se applicata alla parete, sia posta a terra, creando un'illuminazione sofisticata per living e studi. La materialità di Wave emerge dall'incontro tra elementi apparentemente contrastanti: il tubolare rivestito in pelle conferisce calore tattile, mentre il diffusore in vetro sfaccettato cattura e trasforma la luce in un'emanazione morbida e avvolgente. A completare la collezione, la versione da tavolo di Wave riprende il gioco di volumi curvi in una forma compatta e avvolgente. Qui, la fonte luminosa viene schermata da una struttura che alterna pieni e trasparenze, dando vita a un punto di luce vibrante,

mai statico. Il contrasto tra superfici morbide e dettagli luminosi aggiunge profondità all'oggetto, trasformandolo in una presenza raffinata e dinamica all'interno dello spazio.



**Model:** lampada con fonte luminosa a led. Modello che necessita di montaggio (solo applique).

**Structure:** lamp bodies with structure in leather-covered tubular aluminum.

Glass diffuser.

Leather-covered connecting tape with matching stitching (hanging lamp only).

**Decoration:** caps and details in material of choice.

**Specify the chosen dimmeration in the order.**

## AVAILABLE FINISHES

### DETAIL



Satin-Finished Brass



Chromium-Plated Metal




Burnished Brass

---

A1 - Hanging lamp.

L	P	H	
170	22	180	cm
W	D	H	
66.25	8.5	70.25	inch



2700K LED strip - 20W/MT. 8 lighting fixtures. 5533 lumens.

Dimming: 1-10 standard power supply already compatible.

DALI with surcharge.


PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

---

A2 - Hanging lamp.

L	P	H	
145	22	130	cm
W	D	H	
56.5	8.5	50.75	inch



2700K LED strip - 20W/MT. 8 lighting fixtures. 5533 lumens.

Dimming: 1-10 standard power supply already compatible.


DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

A3 - Hanging lamp.

L	P	H	
130	22	100	cm
W	D	H	
50.75	8.5	39	inch



2700K LED strip - 20W/MT. 8 lighting fixtures. 5533 lumens.

Dimming: 1-10 standard power supply already compatible.


DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

A4 - Hanging lamp.

L	P	H	
115	22	70	cm
W	D	H	
44.75	8.5	27.25	inch



2700K LED strip - 20W/MT. 6 lighting fixtures. 4153 lumens.

Dimming: 1-10 standard power supply already compatible.


DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

B1 - Hanging lamp.

L	P	H	
270	22	180	cm
W	D	H	
105.25	8.5	70.25	inch



2700K LED strip - 20W/MT. 14 lighting fixtures. 9682 lumens.

Dimming: 1-10 standard power supply already compatible.


DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

B2 - Hanging lamp.

L	P	H	
245	22	130	cm
W	D	H	
95.5	8.5	50.75	inch



2700K LED strip - 20W/MT. 14 lighting fixtures. 9682 lumens.

Dimming: 1-10 standard power supply already compatible.


DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

B3 - Hanging lamp.

L	P	H	
230	22	100	cm
W	D	H	
89.75	8.5	39	inch



2700K LED strip - 20W/MT. 14 lighting fixtures. 9682 lumens.

Dimming: 1-10 standard power supply already compatible.


DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

B4 - Hanging lamp.

L	P	H	
200	22	70	cm
W	D	H	
78	8.5	27.25	inch



2700K LED strip - 20W/MT. 10 lighting fixtures. 5842 lumens.

Dimming: 1-10 standard power supply already compatible.


DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

C1 - Hanging lamp.

L	P	H	
320	22	180	cm
W	D	H	
124.75	8.5	70.25	inch



2700K LED strip - 20W/MT. 16 lighting fixtures. 11040 lumens.

Dimming: 1-10 standard power supply already compatible.


DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

C2 - Hanging lamp.

L	P	H	
290	22	130	cm
W	D	H	
113	8.5	50.75	inch



2700K LED strip - 20W/MT. 16 lighting fixtures. 11040 lumens.

Dimming: 1-10 standard power supply already compatible.


DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

C3 - Hanging lamp.

L	P	H	
280	22	100	cm
W	D	H	
109.25	8.5	39	inch



2700K LED strip - 20W/MT. 16 lighting fixtures. 11040 lumens.

Dimming: 1-10 standard power supply already compatible.


DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

C4 - Hanging lamp.

L	P	H	
235	22	70	cm
W	D	H	
91.75	8.5	27.25	inch



2700K LED strip - 20W/MT. 10 lighting fixtures. 5842 lumens.

Dimming: 1-10 standard power supply already compatible.


DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

Wall light.

L	P	H	
7	10	25	cm
W	D	H	
2.75	4	9.75	inch



2700K - 20W/met LED strip. 110/240 V - 24V power supply. 960 lumens.

Dimming: 1-10 standard power supply already compatible.

DALI with surcharge.


PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

---

Wall light.

L	P	H	
7	10	50	cm
W	D	H	
2.75	4	19.5	inch



2700K - 20W/met LED strip. 110/240 V - 24V power supply. 1920 lumens.

Dimming: 1-10 standard power supply already compatible.

DALI with surcharge.


PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

---

Wall light.

L	P	H	
7	10	75	cm
W	D	H	
2.75	4	29.25	inch



2700K - 20W/met LED strip. 110/240 V - 24V power supply. 2880 lumens.

Dimming: 1-10 standard power supply already compatible.

DALI with surcharge.


PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**

---

Floor lamp.

L	P	H	
30	30	174	cm
W	D	H	
11.75	11.75	67.75	inch



2700K - 20W/met LED strip. 110/240 V - 24V power supply. 5760 lumens.

Touch dimming.

**Specify the chosen dimmeration in the order.**