




6280


A6280 
only on request



NEW

6285
swivel version

A6285 
only on request



FRAME


Painted steel

SEAT AND BACK


Fabric-upholstered polyurethane

NEW

Texture



Chenille



Bouclé



 Fire-resistant version

UK Standard BS 5852 S5, S.I. 1324



Removable cover

EN 1022:2005 Compliant

EN 1728:2012+AC2013 level reached

6.6 (maximum level) L2

6.10 (maximum level) L2

6.11 (maximum level) L2

6.15 (maximum level) L2

6.16 (maximum level) L2


6.17 (maximum level) L2

6.18 (maximum level) L2

6.20 (maximum level) L2

6.25 (maximum level) L2

6.26 (maximum level) L2




6280/A6280 1 31.0 0.509 83X83X74

6285/A6285 1 36.0 0.509 83X83X74

6281

A6281 
only on request



FRAME


Painted steel

SEAT AND BACK


Fabric-upholstered polyurethane

NEW!

Texture



Chenille




Bouclé



Removable cover

 **Fire-resistant version**

UK Standard BS 5852 S5, S.I. 1324




6281	1	77.0	1.430	233X84X73
A6281	1	77.0	1.430	233X84X73

EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




6283

A6283 
only on request



6284

A6284 
only on request



FRAME

Painted steel

SEAT AND BACK

Fabric-upholstered polyurethane

NEW

Texture



TB
Burgundy



TV
Green



TM
Brown



TG
Grey



TA
Sky blue

Chenille



DA
Beige



DB
Grey



DC
Burgundy



DD
Sage



DE
Sky blue

Bouclé



DF
Ecrú



DG
Grey



DM
Brick red



DN
Sage



DP
Blue



Fire-resistant version

UK Standard BS 5852 S5, S.I. 1324



Removable cover

EN 1022:2005 Compliant

EN 1728:2012+AC2013 level reached

6.6 (maximum level) L2

6.10 (maximum level) L2

6.11 (maximum level) L2

6.15 (maximum level) L2

6.16 (maximum level) L2


6.17 (maximum level) L2

6.18 (maximum level) L2

6.20 (maximum level) L2

6.25 (maximum level) L2

6.26 (maximum level) L2




6283/6284 1 56.0 0.620 155X85X73

A6283/A6284 1 56.0 0.620 155X85X73

6282

A6282 
only on request




FRAME

Painted steel


SEAT

Fabric-upholstered polyurethane

Texture




Chenille




Bouclé



 Fire-resistant version

UK Standard BS 5852 S5, S.I. 1324



6282	1	17.3	0.285	47X78X78
A6282	1	17.3	0.285	47X78X78

EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.4	(maximum level) L2
6.5	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2