

m o o o i

## The Party Wall Lamp

KRANEN/GILLE



'The Party' is inspired by a clan of strong, captivating personalities. Their casted ceramic faces bring to light our fascination with secrets, family dynamics and intrigue. If seen together, as a splendid party, they brighten up the stage with their cool playfulness. Yet behind the lamps' composed façades a mischievous side seeps through and touches our imagination.

---

### *Detailing*



The lamps share the same basic tactile feel, a subtle roughness given by the granular ceramic finish, but are distinguished by their individual style.

---

### *Colours*



Grey

# The Party Wall Lamp / Bert

## Dimensions

16cm | 6.3"



11cm | 4.3"  
22cm | 8.7"



## Product

**WIDTH** 16cm | 6.3"

**HEIGHT** 22cm | 8.7"

**DEPTH** 11cm | 4.3"

**WEIGHT NETTO** 0.5kg | 1.1lbs

## Packaging

**WIDTH** 31.5cm | 12.4"

**HEIGHT** 31.5cm | 12.4"

**CUBAGE** 0.02m<sup>3</sup> | 0.72ft<sup>3</sup>

**LENGTH** 20.5cm | 8.1"

**WEIGHT** 3kg | 6.6lbs

## Technical CE

### MATERIAL

Ceramic, Enogobio Finish, Alumminum, Brass knob

### ENERGY LABEL

B

### LIGHTSOURCE TYPE

LED

### NUMBER OF LIGHTSOURCES

1

### FREQUENCY

50/60

### LAMPHOLDER

LED (Solid state)

### COLOUR TEMPERATURE

2700 K (max)

### LIGHT DIRECTION

Wall

### DIMMING & LIGHTING CONTROL

Mains, Trailing edge, Reverse phase

See last page for more information about the dimming possibilities.



### INSTALLATION REQUIRED

Yes

### LIGHTSOURCE INCLUDED

Yes

### INPUT VOLTAGE

220-240V

### MAX POWER CONSUMPTION

6W

### LIFETIME

50000 hours

### CRI

85

### LIGHT OUTPUT

77 lm

## Technical UL

**MATERIAL**

Ceramic, Enogobio Finish, Alumminum, Brass knob

**ENERGY LABEL**

B

**LIGHTSOURCE TYPE**

LED

**NUMBER OF LIGHTSOURCES**

1

**FREQUENCY**

50/60

**LAMPHOLDER**

LED (Solid state)

**CABLE COLOUR**

Black

**COLOUR TEMPERATURE**

2700 K (max)

**LIGHT DIRECTION**

Wall

**DIMMING & LIGHTING CONTROL**

Mains, Trailing edge, Reverse phase

*See last page for more information about the dimming possibilities.*

**INSTALLATION REQUIRED**

Yes

**LIGHTSOURCE INCLUDED**

Yes

**INPUT VOLTAGE**

110-120V

**MAX POWER CONSUMPTION**

6W

**LIFETIME**

50000 hours

**CABLE LENGTH**

15cm | 5.9"

**CRI**

85

**LIGHT OUTPUT**

77 lm

## The Party Wall Lamp / Coco

### Dimensions

18cm | 7.1"



11cm | 4.3"  
22cm | 8.7"



### Product

**WIDTH** 18cm | 7.1"

**HEIGHT** 22cm | 8.7"

**DEPTH** 11cm | 4.3"

**WEIGHT NETTO** 0.5kg | 1.1lbs

### Packaging

**WIDTH** 31.5cm | 12.4"

**HEIGHT** 31.5cm | 12.4"

**CUBAGE** 0.02m<sup>3</sup> | 0.72ft<sup>3</sup>

**LENGTH** 20.5cm | 8.1"

**WEIGHT** 3kg | 6.6lbs

### Technical CE

**MATERIAL**

Ceramic, Enogobio Finish, Alumminum, Brass knob

**ENERGY LABEL**

B

**LIGHTSOURCE TYPE**

LED

**NUMBER OF LIGHTSOURCES**

1

**FREQUENCY**

50/60

**LAMPHOLDER**

LED (Solid state)

**COLOUR TEMPERATURE**

2700 K (max)

**LIGHT DIRECTION**

Wall

**DIMMING & LIGHTING CONTROL**

Mains, Trailing edge, Reverse phase

*See last page for more information about the dimming possibilities.*



---

*Technical UL***MATERIAL**

Ceramic, Enogobio Finish, Alumminum, Brass knob

**ENERGY LABEL**

B

**LIGHTSOURCE TYPE**

LED

**NUMBER OF LIGHTSOURCES**

1

**FREQUENCY**

50/60

**LAMPHOLDER**

LED (Solid state)

**CABLE COLOUR**

Black

**COLOUR TEMPERATURE**

2700 K (max)

**INSTALLATION REQUIRED**

Yes

**LIGHTSOURCE INCLUDED**

Yes

**INPUT VOLTAGE**

220-240V

**MAX POWER CONSUMPTION**

6W

**LIFETIME**

50000 hours

**CRI**

85

**LIGHT OUTPUT**

77 lm

**INSTALLATION REQUIRED**

Yes

**LIGHTSOURCE INCLUDED**

Yes

**INPUT VOLTAGE**

110-120V

**MAX POWER CONSUMPTION**

6W

**LIFETIME**

50000 hours

**CABLE LENGTH**

15cm | 5.9"

**CRI**

85

**LIGHT DIRECTION**

Wall

**LIGHT OUTPUT**

77 lm

**DIMMING & LIGHTING CONTROL**

Mains, Trailing edge, Reverse phase

*See last page for more information about the dimming possibilities.*

## The Party Wall Lamp / Glenn

### Dimensions

**17cm | 6.7"**

**10cm | 3.9"**

**22cm | 8.7"**



### Product

**WIDTH** 17cm | 6.7"**HEIGHT** 22cm | 8.7"**DEPTH** 10cm | 3.9"**WEIGHT NETTO** 0.5kg | 1.1lbs

### Packaging

**WIDTH** 31.5cm | 12.4"**HEIGHT** 31.5cm | 12.4"**CUBAGE** 0.02m<sup>3</sup> | 0.72ft<sup>3</sup>**LENGTH** 20.5cm | 8.1"**WEIGHT** 3kg | 6.6lbs

### Technical CE

**MATERIAL**

Ceramic, Enogobio Finish, Alumminum, Brass knob

**ENERGY LABEL**

B

**INSTALLATION REQUIRED**

Yes

**LIGHTSOURCE TYPE**

LED

**LIGHTSOURCE INCLUDED**

Yes

**NUMBER OF LIGHTSOURCES**

1

**INPUT VOLTAGE**

220-240V

**FREQUENCY**

50/60

**MAX POWER CONSUMPTION**

6W

**LAMPHOLDER**

LED (Solid state)

**LIFETIME**

50000 hours

**COLOUR TEMPERATURE**

2700 K (max)

**CRI**

85

**LIGHT DIRECTION**

Wall

**LIGHT OUTPUT**

77 lm

**DIMMING & LIGHTING CONTROL**

Mains, Trailing edge, Reverse phase

*See last page for more information about the dimming possibilities.*



---

*Technical UL***MATERIAL**

Ceramic, Enogobio Finish, Alumminum, Brass knob

**ENERGY LABEL**

B

**INSTALLATION REQUIRED**

Yes

**LIGHTSOURCE TYPE**

LED

**LIGHTSOURCE INCLUDED**

Yes

**NUMBER OF LIGHTSOURCES**

1

**INPUT VOLTAGE**

110-120V

**FREQUENCY**

50/60

**MAX POWER CONSUMPTION**

6W

**LAMPHOLDER**

LED (Solid state)

**LIFETIME**

50000 hours

**CABLE COLOUR**

Black

**CABLE LENGTH**

15cm | 5.9"

**COLOUR TEMPERATURE**

2700 K (max)

**CRI**

85

**LIGHT DIRECTION**

Wall

**LIGHT OUTPUT**

77 lm

**DIMMING & LIGHTING CONTROL**

Mains, Trailing edge, Reverse phase

*See last page for more information about the dimming possibilities.*



# The Party Wall Lamp / Ted

## Dimensions

16cm | 6.3"



10cm | 3.9"  
22cm | 8.7"



## Product

**WIDTH** 16cm | 6.3"  
**HEIGHT** 22cm | 8.7"  
**DEPTH** 10cm | 3.9"  
**WEIGHT NETTO** 0.5kg | 1.1lbs

## Packaging

**WIDTH** 31.5cm | 12.4"  
**HEIGHT** 31.5cm | 12.4"  
**CUBAGE** 0.02m<sup>3</sup> | 0.72ft<sup>3</sup>  
**LENGTH** 20.5cm | 8.1"  
**WEIGHT** 3kg | 6.6lbs

## Technical CE

### MATERIAL

Ceramic, Enogobio Finish, Alumminum, Brass knob

### ENERGY LABEL

B

### LIGHTSOURCE TYPE

LED

### NUMBER OF LIGHTSOURCES

1

### FREQUENCY

50/60

### LAMPHOLDER

LED (Solid state)

### COLOUR TEMPERATURE

2700 K (max)

### LIGHT DIRECTION

Wall

### DIMMING & LIGHTING CONTROL

Mains, Trailing edge, Reverse phase

See last page for more information about the dimming possibilities.



### INSTALLATION REQUIRED

Yes

### LIGHTSOURCE INCLUDED

Yes

### INPUT VOLTAGE

220-240V

### MAX POWER CONSUMPTION

6W

### LIFETIME

50000 hours

### CRI

85

### LIGHT OUTPUT

77 lm

## Technical UL

**MATERIAL**

Ceramic, Enogobio Finish, Alumminum, Brass knob

**ENERGY LABEL**

B

**LIGHTSOURCE TYPE**

LED

**NUMBER OF LIGHTSOURCES**

1

**FREQUENCY**

50/60

**LAMPHOLDER**

LED (Solid state)

**CABLE COLOUR**

Black

**COLOUR TEMPERATURE**

2700 K (max)

**LIGHT DIRECTION**

Wall

**DIMMING & LIGHTING CONTROL**

Mains, Trailing edge, Reverse phase

*See last page for more information about the dimming possibilities.*

**INSTALLATION REQUIRED**

Yes

**LIGHTSOURCE INCLUDED**

Yes

**INPUT VOLTAGE**

110-120V

**MAX POWER CONSUMPTION**

6W

**LIFETIME**

50000 hours

**CABLE LENGTH**

15cm | 5.9"

**CRI**

85

**LIGHT OUTPUT**

77 lm

## The Party Wall Lamp / Mayor

### Dimensions

17cm | 6.7"



10cm | 3.9"



22cm | 8.7"

### Product

**WIDTH** 17cm | 6.7"

**HEIGHT** 22cm | 8.7"

**DEPTH** 10cm | 3.9"

**WEIGHT NETTO** 0.5kg | 1.1lbs

### Packaging

**WIDTH** 31.5cm | 12.4"

**HEIGHT** 31.5cm | 12.4"

**CUBAGE** 0.02m<sup>3</sup> | 0.72ft<sup>3</sup>

**LENGTH** 20.5cm | 8.1"

**WEIGHT** 3kg | 6.6lbs

### Technical CE

**MATERIAL**

Ceramic, Enogobio Finish, Alumminum, Brass knob

**ENERGY LABEL**

B

**LIGHTSOURCE TYPE**

LED

**NUMBER OF LIGHTSOURCES**

1

**FREQUENCY**

50/60

**LAMPHOLDER**

LED (Solid state)

**COLOUR TEMPERATURE**

2700 K (max)

**LIGHT DIRECTION**

Wall

**DIMMING & LIGHTING CONTROL**

Mains, Trailing edge, Reverse phase

*See last page for more information about the dimming possibilities.*



---

*Technical UL***MATERIAL**

Ceramic, Enogobio Finish, Alumminum, Brass knob

**ENERGY LABEL**

B

**LIGHTSOURCE TYPE**

LED

**NUMBER OF LIGHTSOURCES**

1

**FREQUENCY**

50/60

**LAMPHOLDER**

LED (Solid state)

**CABLE COLOUR**

Black

**COLOUR TEMPERATURE**

2700 K (max)

**INSTALLATION REQUIRED**

Yes

**LIGHTSOURCE INCLUDED**

Yes

**INPUT VOLTAGE**

220-240V

**MAX POWER CONSUMPTION**

6W

**LIFETIME**

50000 hours

**CRI**

85

**LIGHT OUTPUT**

77 lm

**LIGHT DIRECTION**

Wall

**LIGHT OUTPUT**

77 lm

**DIMMING & LIGHTING CONTROL**

Mains, Trailing edge, Reverse phase

*See last page for more information about the dimming possibilities.*



## *Dimming & Lighting Control*

### *Mains, Trailing edge, Reverse phase*

Control the mood with ease. This light fixture can be dimmed using an external Electronic Low Voltage dimmer. Simply connect it to an existing outlet—no need to rewire your home. Choose a dimmer designed for LED lights, suitable for 5 watts or lower, and supporting a C-type (capacitive load). This ensures compatibility and smooth operation. As with all delicate lighting, the experience of dimming may occasionally bring a flicker, hum, or soft buzz.

Compatible models: Bert CE, Bert UL, Coco CE, Coco UL, Glenn CE, Glenn UL, Ted CE, Ted UL, Mayor CE, Mayor UL

---